



Utendørskran



Utendørskran, ny type

FG0105050 (VA 102005)

FG0105060 (VA 102015)

FG0105070 (VA 102018)

FG0105061 (VA 102055)



Utendørskran, eldre type


(produsert 1988-2003)

VA 101005

VA 101015

VA 101018








VA 101055




Del nr.	Produkt	NRF-nr.	Art. nr.	Verks-pakn.
640560-01	Nøkkel 8 mm, grå plast (fra 1977)	434 29 69	FG0640560	50
640835-01	Fjærbelastet tilbakeslagsventil, ny type	434 30 84	FG0640835	
640836-01	Komplett overdel m/drenering f/nøkkel	434 30 85	FG0640836	5
643505-01	Spindelforlengelse 400 mm (e. 1986)	434 32 71	GB41633505 01	
633506-01	Spindelforlengelse 1000 mm (e. 1986)	434 32 72	GB41633506 01	
640837-01	Komplett overdel u/drenering f/nøkkel ny type	434 30 86	FG0640837	5
640841-01	Spindel m/ratt, 18 mm, krom	434 26 86	FG0640841 01	
640825	Vatette albu m/festedetaljer, ny type	434 30 88	FP640825	5
640128	Nøkkel 9 mm (eldre modell)	434 32 84	GB41640128	
640782-01	Komplett overdel m/drenering (101015)	434 32 75	FG0640782	5
640548-01	Ventiloverstykke f/kran u/drenering (fra 1986)	434 32 73	FG0640548	
640794-01	Ventiloverstykke f/kran m/dren. (m/ratt 101055)	434 32 74	FG0640794	5
634719	Tilbakeslagsventil Ø 14 mm (f.o.m. aug. 1996)	434 33 36	GB41634719 01	
640762-01	Albu kompl.m/mutter, kon, tilbakeslagsventil (e.1986)	434 32 62	FP640762	
633510-01	Reservedelssett komplett (e. 1986)	434 32 86	GB41633510 01	
633560	Reservedelsskrin	434 34 51	GB41633560	


VATETTE - utomhuskran

Installation















1988-2002



2003-

Service



<p>FGO 64 05 60</p> 	<p>FGO 64 08 35</p> 	<p>FGO 64 08 36</p> 
<p>2003-</p>  <p>18 x 1</p>	<p>400mm : GB41 63 35 05 1000mm: GB41 63 35 06</p> 	<p>FGO 64 08 37</p>  
<p>1988-2003</p>  <p>22 x 1</p>		<p>FGO 64 08 41</p> 